

【Exhibition hall parameters】

facilities	Hall 1, A and B			Hall 2, 3/4, 5	Hall 6.7	Hall 8	
	The first floor	second floor	third floor	The first floor	The first floor	A	B
Area(m*m)	4000(1A)	4150	4150	hall23364	3000	4335	4335
	4150(1B)	4150	4150	hall33426 hall43426 hall53364	3000		
Side length(m*m)	54.6×91	54.6×91	54.6×91	63×63	50×60	72.8*65.5	
Clearance height of the hall	the clearance height under the air ducts on both sides is 3.8	4.2(the clearance height under the air ducts on both sides is 2.8)		10 and3.1	7.8	13 and4	13 and4
Shutter door size (cm)	450 wide *430 high	Minimum partition door: 450 wide*350 high		440 wide*450 gigh	450 wide*460 high	450 wide*460 high	
Exhibit booth	car, forklift, hydraulic truck	hydraulic truck	hydraulic truck	car, forklift, hydraulic truck	car, forklift, hydraulic truck	car, forklift, hydraulic truck	
Floor of exhibition hall	cement floor			cement floor	cement floor	cement floor	
Escalator	two	two	two	None	None	None	
Elevator	4 in total, with a capacity of 240 wide *220 high *350 deep (cm) Door size: 180 wide *20 high (cm) Load 5 tons.each elevator			None	None	None	
Power supply	three-phase four-wire 380/220 ac 50 cycles per second						
mode The	6-8BAR			6-8BAR	6-8BAR	6-8BAR	
The exhibition hall brightness	200LX			200LX	200LX	200LX	

facilities	Hall 1, A and B			Hall 2, 3/4, 5	Hall 6.7	Hall 8	
	The first floor	second floor	third floor	The first floor	The first floor	A	B
Water inlet	each 20	each 20	each 20	each 12	each 6	each 13	13
Drainage	each 40	each 24	each 20	each 12	each 6	each 13	13
Fire protection	smoke alarm system, fire hydrant, portable fire extinguisher			smoke alarm system, fire hydrant, portable fire extinguisher	smoke alarm system, fire hydrant, portable fire extinguisher	smoke alarm system, fire hydrant, portable fire extinguisher, far infrared, fire box	
New breeze	have			None	None	None	
Telephone	available for international and domestic calls			available for international and domestic calls	available for international and domestic calls		
Announcer	yes			yes	yes	yes	
Emergency lighting	yes			yes	yes	yes	
restrooms	2 each in section A/2 each in section B			1 each in hall	1 each in hall	1 each in section A/1 each in section B	